


Feeling Sick?

Stay home when you are sick!

If you feel unwell or have the following symptoms **please leave the building and contact your health care provider.** Then follow-up with your supervisor.

<u>DO NOT ENTER</u> if you have:



CS 316129-A March 22, 2020 5:14 PM

How to Safely Wear and Take Off a Cloth Face Covering

Accessible: https://www.cdc.gov/coronavirus/2019-ncov/prevent-getting-sick/diy-cloth-face-coverings.html

WEAR YOUR FACE COVERING CORRECTLY

- Wash your hands before putting on your face covering
- Put it over your nose and mouth and secure it under your chin
- Try to fit it snugly against the sides of your face
- Make sure you can breathe easily
- Do not place a mask on a child younger than 2





USE THE FACE COVERING TO HELP PROTECT OTHERS

- Wear cloth face coverings in public settings and when around people who don't live in your household, especially when other social distancing measures are difficult to maintain
- Don't put the covering around your neck or up on your forehead
- Don't touch the face covering, and, if you do, clean your hands

FOLLOW EVERYDAY HEALTH HABITS

- Stay at least 6 feet away from others
- Avoid contact with people who are sick
- Wash your hands often, with soap and water, for at least 20 seconds each time
- Use hand sanitizer if soap and water are not available





TAKE OFF YOUR CLOTH FACE COVERING CAREFULLY, WHEN YOU'RE HOME

- Untie the strings behind your head or stretch the ear loops
- Handle only by the ear loops or ties
- · Fold outside corners together
- Place covering in the washing machine
- Wash your hands with soap and water


Cloth face coverings are not surgical masks or N-95 respirators, both of which should be saved for health care workers and other medical first responders.

For instructions on making a cloth face covering, see:




Symptoms of Coronavirus (COVID-19)

Know the symptoms of COVID-19, which can include the following:






Symptoms can range from mild to severe illness, and appear 2-14 days after you are exposed to the virus that causes COVID-19.



- Persistent pain or pressure in the chest
- stay awake
- Bluish lips or face

- New confusion
- This list is not all possible symptoms. Please call your medical provider for any other symptoms that are severe or concerning to you.





10 things you can do to manage your COVID-19 symptoms at home

Accessible Version: https://www.cdc.gov/coronavirus/2019-ncov/if-you-are-sick/steps-when-sick.html

If you have possible or confirmed COVID-19:

1. Stay home from work and school. And stay away from other public places. If you must go out, avoid using any kind of public transportation, ridesharing, or taxis.



2. Monitor your symptoms carefully. If your symptoms get worse, call your healthcare provider immediately.



3. Get rest and stay hydrated.



4. If you have a medical appointment, call the healthcare provider ahead of time and tell them that you have or may have COVID-19.



5. For medical emergencies, call 911 and **notify the dispatch personnel** that you have or may have COVID-19.



6. Cover your cough and sneezes.



7. Wash your hands often with soap and water for at least 20 seconds or clean your hands with an alcohol-based hand sanitizer that contains at least 60% alcohol.



8. As much as possible, stay in a specific room and away from other people in your home. Also, you should use a separate bathroom, if available. If you need to be around other people in or outside of the home, wear a cloth face covering.



9. Avoid sharing personal items with other people in your household, like dishes, towels, and bedding.



10. Clean all surfaces that are touched often, like counters, tabletops, and doorknobs. Use household cleaning sprays or wipes according to the label instructions.





154 MDG: 789-0184

How to Protect Yourself and Others

Accessible version: https://www.cdc.gov/coronavirus/2019-ncov/prevent-getting-sick/prevention.html

Know how it spreads



- There is currently no vaccine to prevent coronavirus disease 2019 (COVID-19).
- The best way to prevent illness is to avoid being exposed to this virus.
- The virus is thought to spread mainly from person-to-person.
 - » Between people who are in close contact with one another (within about 6 feet).
 - » Through respiratory droplets produced when an infected person coughs, sneezes or talks.
 - » These droplets can land in the mouths or noses of people who are nearby or possibly be inhaled into the lungs.
 - » Some recent studies have suggested that COVID-19 may be spread by people who are not showing symptoms.

Everyone should

Clean your hands often



- Wash your hands often with soap and water for at least 20 seconds especially after you have been in a public place, or after blowing your nose, coughing, or sneezing.
- If soap and water are not readily available, **use a hand sanitizer that contains at least 60% alcohol.** Cover all surfaces of your hands and rub them together until they feel dry.
- Avoid touching your eyes, nose, and mouth with unwashed hands.

Avoid close contact



- Limit contact with others as much as possible.
- Avoid close contact with people who are sick.
- Put distance between yourself and other people.
 - » Remember that some people without symptoms may be able to spread virus.
 - » This is especially important for **people who are at higher risk of getting very sick.** <u>www.cdc.gov/coronavirus/2019-ncov/need-extra-precautions/people-</u> <u>at-higher-risk.html</u>



154 MDG: 789-0184

Cover your mouth and nose with a cloth face cover when around others -



- You could spread COVID-19 to others even if you do not feel sick.
- Everyone should wear a cloth face covering in public settings and when around people not living in their household, especially when social distancing is difficult to maintain.
 - » Cloth face coverings should not be placed on young children under age 2, anyone who has trouble breathing, or is unconscious, incapacitated or otherwise unable to remove the mask without assistance.
- The cloth face cover is meant to protect other people in case you are infected.
- Do **NOT** use a facemask meant for a healthcare worker.
- Continue to **keep about 6 feet between yourself and others.** The cloth face cover is not a substitute for social distancing.

Cover coughs and sneezes -



- Always cover your mouth and nose with a tissue when you cough or sneeze or use the inside of your elbow.
- Throw used tissues in the trash.
- Immediately **wash your hands** with soap and water for at least 20 seconds. If soap and water are not readily available, clean your hands with a hand sanitizer that contains at least 60% alcohol.

Clean and disinfect



- Clean AND disinfect frequently touched surfaces daily. This includes tables, doorknobs, light switches, countertops, handles, desks, phones, keyboards, toilets, faucets, and sinks. www.cdc.gov/coronavirus/2019-ncov/prevent-getting-sick/ disinfecting-your-home.html
- If surfaces are dirty, clean them: Use detergent or soap and water prior to disinfection.
- Then, use a household disinfectant. You can see a list of <u>EPA-registered</u> household disinfectants here.

154 MDG: 789-0184

COVID-19: Quarantine vs. Isolation

QUARANTINE keeps someone who was in close contact with someone who has COVID-19 away from others.





If you had close contact with a person who has COVID-19



• Stay home until 14 days after your last contact.



 Check your temperature twice a day and watch for symptoms of COVID-19.



• If possible, stay away from people who are at higher-risk for getting very sick from COVID-19.

ISOLATION keeps someone who is sick or tested positive for COVID-19 without symptoms away from others, even in their own home.





If you are sick and think or know you have COVID-19



- Stay home until after
 - 3 days with no fever and
 - Symptoms improved and
 - 10 days since symptoms first appeared



If you tested positive for COVID-19 but do not have symptoms



- Stay home until after
 - 10 days have passed since your positive test.



If you live with others, stay in a specific "sick room" or area and away from other people or animals, including pets. Use a separate bathroom, if available.

cdc.gov/coronavirus



CS317422-A

6/8/2020 2PM

GUIDANCE FOR CLEANING & DISINFECTING



SCAN HERE FOR MORE INFORMATION

PUBLIC SPACES, WORKPLACES, BUSINESSES, SCHOOLS, AND HOMES

1 DEVELOP YOUR PLAN

DETERMINE WHAT NEEDS TO BE CLEANED.

Areas unoccupied for 7 or more days need only routine cleaning. Maintain existing cleaning practices for outdoor areas.

DETERMINE HOW AREAS WILL BE

DISINFECTED. Consider the type of surface and how often the surface is touched. Prioritize disinfecting frequently touched surfaces.

CONSIDER THE RESOURCES AND EQUIPMENT NEEDED. Keep in mind the availability of cleaning products and personal protective equipment (PPE) appropriate for

Follow guidance from state, tribal, local, and territorial authorities.

cleaners and disinfectants.

2 IMPLEMENT

CLEAN VISIBLY DIRTY SURFACES WITH SOAP AND WATER prior to disinfection.

USE THE APPROPRIATE CLEANING OR DISINFECTANT PRODUCT. Use

an EPA-approved disinfectant against COVID-19, and read the label to make sure it meets your needs.

ALWAYS FOLLOW THE DIRECTIONS ON THE LABEL. The label will include safety information and application instructions. Keep disinfectants out of the reach of children.

3 MAINTAIN AND REVISE

CONTINUE ROUTINE CLEANING AND DISINFECTION.

Continue or revise your plan based upon appropriate disinfectant and PPE availability. Dirty surfaces should be cleaned with soap and water prior to disinfection. Routinely disinfect frequently touched surfaces at least daily.

MAINTAIN SAFE PRACTICES such as frequent handwashing, using cloth face coverings, and staying home if you are sick.


CONTINUE PRACTICES THAT REDUCE THE POTENTIAL FOR EXPOSURE. Maintain social distancing, staying six feet away from others. Reduce sharing of common spaces and frequently touched objects.



MAKING YOUR PLAN TO CLEAN AND DISINFECT

Cleaning with soap and water removes germs, dirt, and impurities from surfaces. It lowers the risk of spreading infection.

Disinfecting kills germs on surfaces. By killing germs on a surface after cleaning, it can further lower the risk of spreading infection.



Hard and non-porous materials like glass, metal, or plastic.

Visibly dirty surfaces should be cleaned prior to disinfection.

Consult EPA's list of disinfectants for use against COVID-19, specifically for use on hard, non-porous surfaces and for your specific application need. More frequent cleaning and disinfection is necessary to reduce exposure.

Soft and porous materials like carpet, rugs, or material in seating areas.

Thoroughly clean or launder materials.

Consider removing soft and porous materials in high traffic areas. Disinfect materials if appropriate products are available.

